

|  |        |
|--|--------|
| Diameter                                 | 1000mm |
| Overall Depth<br>(Ground level to base)  | 1225mm |
| Inlet Depth<br>(Ground level to inlet)   | 675mm  |
| Standard Inlet Height<br>(Inlet to base) | 550mm  |
| Outlet depth<br>(Ground level to outlet) | 440mm  |
| Maximum Storage<br>Capacity              | 820Lt  |
| Net Weight                               | 60kg   |

#### Hydraulic Data

|                     | Voltage<br>(50 Hz)    | P1<br>Max.<br>(kW) | P2<br>Nominal<br>(kW) | In<br>(A) | Q<br>(L/Min) | H<br>(m)      | Outlet<br>Size<br>(mm) |
|---------------------|-----------------------|--------------------|-----------------------|-----------|--------------|---------------|------------------------|
| Effluent            | 1 Ph.<br>220-<br>240V | 0,94               | 0,55                  | 4,3       | 17 -<br>250  | 7,1 –<br>2,8  | 50                     |
| Sewage<br>(Vortex)  | 1 Ph.<br>220-<br>240V | 1,11               | 0,75                  | 5,13      | 50 -<br>400  | 9,2 –<br>1,9  | 63                     |
| Sewage<br>(Grinder) | 1 Ph.<br>220-<br>240V | 1,1                | 0,8                   | 5,3       | 40 -<br>240  | 15,2 –<br>3,9 | 63                     |